This is G o g 'e's cache of http://www.sasol.de/products/surfactants/surfactants_polyalkylene.asp.

G o q e's cache is the snapshot that we took of the page as we crawled the web.

The page may have changed since that time. Click here for the current page without highlighting

To link to or bookmark this page, use the following url:

http://www.gnogle.com/search?q=cache:BIL4B1rJEesJ/www.sasol.de/products/surfactants/surfactants_polyalkylene asp+polyalkylene+and+pol

Google is not attituted with the authors of this page not respectible to a context

These search terms have been highlighted: polyalkylene polyethylene



NOVANIK®

Improving your formulations....

Polyalkylene glycols are essential auxiliaries in numerous formulat to their unique property profile combining water solubility, lubric toxicity with excellent solvent properties they are essential ingredic broad variety of applications ranging from pharmaceuticals, cosm household products to metalworking, ceramics, plastics or wood tr

PLURODAC®

POLIDAC®

SLOVANIK®

SLOVAPEG(

The liquid polyethylene glycols for example are used as solvent, so and as viscosity improvers in liquid pharmaceutical formulations. of liquid and solid polyethylene glycols are used as ointment bases. polvethylene glycols are used as suppository bases and act as binde plasticizers and lubricants for tablets. They are nonirritant to the add a silky feel without greasiness when used in lotions or creams. Ceramics they act as plasticizer and binders and show a clean burn during firing operations.

Besides their value as an auxiliary, they are intermediates for the manufacture of resins, textile auxiliaries or emulsifiers.

Click here to find out more about our End-Use Applications.

For more information, please e-mail to: surfactants@de.sasol.c

Talk to us. Together we'll find the solution.

Home | About <u>Us</u> | Contact <u>Us</u> | News Products | Responsib<u>le Care | Email Us</u> | Sitemap SASO_F Limited Home

Copyright © 2001 Sasol. All Rights Reserved.

L3 16882 S (INTERFERON-BETA OF IFN BETA)
L4 27 S L3 AND POLYETHYLENE GLYCOL
L5 3 S L1 AND (ALDERWED OF MALEUMIDE OF MANUSCHLEONE OF MALEUMIDE OF MALEUMID OF MALEUMIDE OF MALEUMIDE OF MALEUMIDE OF MALEUMIDE OF MALEUMID OF

L5 2 S L4 AND (ALDEHYDE OR MALEIMIDE OF VINYLSULFONE OF HALOACETTE

=>